

Forklift Attachment

Forklift Attachments Portland - Forklift attachments make a variety of jobs possible. Forklift attachments make many jobs safer, easier and quicker to complete. Forklift operators require training for each attachment they will be using as well as their general forklift training. Many hydraulic and non-hydraulic forklift attachments are available. They offer numerous benefits by decreasing man-power, employee accidents, fuel consumption, damage to stock and time. Equipment Considerations A forklift attachment can replace an existing forklift attachment or can be added to a forklift that does not already have one. Several equipmentrelated factors must be considered before any forklift attachment is replaced or added. These considerations include: 1. The forklift type; 2. The forklift's capacity; 3. The carriage type; and 4. The number of hydraulic functions. Not considering these issues will drastically increase the safety risks associated with operating the machine and its attachments. This can increase risks relating to operator safety, forklift damage, stock damage and more. Extra safety factors must be considered which will be discussed in more detail. Forklift Rating and Re-Rating These machines are provided with lift capacity ratings from the manufacturer that need adjusting when changing or adding any forklift attachments. There are calculators available online from forklift attachment manufacturers to estimate each attachments particular lifting capacity. However, only the forklift manufacturer can provide accurate lifting capacities. Before installing any kind of attachment, it is essential to contact the local authorized forklift dealer of the particular forklift brand to request that they rate the machine accordingly with the attachment being used. Once the forklift manufacturer has re-rated the machine, it will ideally have a new specification plate that is factory authorized. The newly upgraded specification plate will replace the original plate and needs to be installed showing the new forklift rating. Equipment Upgrades It is vital to note when working with forklift attachments the equipment's hydraulic function consists of a forklift valve that has a lever located near the operator which creates two areas for pressurized hydraulic passages for oil. While not all forklift attachments are hydraulic, hydraulic attachments often include more features than the forklift has valves. When this happens, the forklift needs to have one or more valves added. There are several methods of adding a valve. Forklift manufacturers make accessories for valve and hose routing. Due to the cost of labor and parts required, this process may not be practical. Another possibility is to install a cable reel, solenoid valve and hose to divert oil from an alternate location. Unfortunately, hose and cable reels can sometimes block the operator's view and can be easily damaged. Special hoses and a solenoid valve kit an be used to create an electrical conduit out of the reinforced braid. Because these hoses replace the existing hoses housed in the forklift, the hoses are safe from damage while keeping the operator's field of vision clear. Safety Considerations Before using any type of forklift attachment, adequate training must be fulfilled. An operator must be competent in the fitting, operating and removal of the attachment. Two important safety factors must be considered before the use of any forklift attachment. First, any attachment on a forklift will reduce its nominal load rating, as mentioned above. Forks and a stock fork carriage compute the nominal load rating; although, the precise load rating may be much lower. Second, the center of gravity will be affected by the use of any forklift attachment. The forklift's stability will be reduced and this needs to be computed for safety. Due to the attachment weight being situated in front of the fulcrum point, the forklift needs to be driven as though it is partially loaded even when it is empty. Thus, when using any attachment, an operator should travel at a slow speed and make turns slowly and gently. As noted above, each attachment should be listed on the data plate of the forklift's capacity. Certain safety checks need to be done before using any kind of attachment. The forklift attachment must be permitted on the forklift's data plate, locked properly, correctly attached, appropriate for the particular load and appropriate for the type of forklift being used. List of Common Forklift Attachments A list of the most common attachments and their general uses are set out below. There are numerous forklift attachments and this list will cover the most popular. The variety of attachments can drastically increase

efficiency for many jobs. SIDESHIFTER: The operator can manipulate the forks laterally with a sideshifter. This allows for easier load placement without having to move the entire forklift. FORK POSITIONERS: Moves the forks together or apart in relation to one another to adjust for various load types. DIMENSIONING DEVICES: Dimensioning devices offer cargo dimensions to create more warehouse efficiency and better truck and trailer space. This is commonly used with billing systems that record volume. ROTATOR: Rotators help to right tilted skids and are useful for fast unloading and tackling custom load requirements. There is a rotator feature on numerous attachments. ROLL AND BARREL CLAMP: The roll and barrel clamp simplifies grasping rounded loads such as barrels. It has numerous pressure settings for handling fragile items with less damage potential. This attachment often has a rotate function to change the load from a vertical to a horizontal position. CARTON AND MULTIPURPOSE CLAMP: Allows for grasping a load with a more squared shape, often with pressure settings. Products like cartons, boxes and bales can be moved with this type of attachment. POLE ATTACHMENTS: Long, metal pole used in place of forks to lift rolled items such as carpet or linoleum. SLIP SHEETER OR PUSH-PULL: The slip sheeter or push-pull allows the operator to move sheets by clamping onto slip sheets. This is an option instead of relying on pallets. The slip sheet can be moved onto thin and wide metal forks to simplify loading or unloading by pushing the slip sheet. The "Save" variation allows the slip sheet to be taken off for reuse later. The "Standard," attachment variation is another option. DRUM HANDLER: Allows for grasping drums, either with a spring-loaded jaw to grip the top lip of a drum, or with arms that encircle the drum, for transport. DRUM AND STORAGE BIN TIPPER: The drum and storage bin tipper is designed for easier transport of liquid items or loose materials into bigger containers. MAN BASKET: Lift platform meant for lifting workers and complete with railings and brackets for safety harnesses. TELESCOPIC FORKS: Telescopic forks are used in warehouses that rely on stacking two pallets in the event one shelf is located behind another shelf with no aisle in between. SCALES: Scales allow forklift operators to weigh their pallets during transport. This increases efficiency by providing simultaneous data and not making the operator travel back and forth to scales. This attachment can be used for operators who bill by weight in legal-fortrade applications. SINGLE-DOUBLE FORKS: Allow movement of a single pallet or platform or two pallets side by side. With the correct attachment/s a single forklift can be used for multiple specialist materials handling tasks alongside normal lifting tasks, thus reducing the need for owning a specialist unit alongside a normal unit and the larger running and maintenance costs associated with multiple units. SNOW PLOW: Originally designed for snow removal, snow plow attachments can be used to move other loose items. SKIPS: Skips enable quick and safe waste removal to a skip or waste compactor. They may feature a bottom-emptying design or be a roll-forward model. BOOMS AND JIBS: Jibs and boom offer extended forklift reach for transporting loads that are stacked deep or high or that are suspended. There are reach-over, low profile, precision lifting and extendable length options.